



## 550mm single color led rigid bar




### Product Description

This led rigid bar ultra bright. There are 33 cool white LEDs per unit (550mm).

You can control the entire led rigid bar at once with any microcontroller and a power transistor.

The way they are wired, you will need a 12VDC power supply and connect directly.



You can cut this stuff pretty easily with wire cutters, there are cut-lines every 5cm (3 LEDs each).

You can do it yourself or ask us to put a 3M adhesive strip on the back which should stick to most smooth surfaces.



## Product Datasheet

Product Number	B008033BB1L
Light Source	SMD 2835
Beam Angle	120°
LED Quantity	33 leds/pcs
CCT	11000-13000K
Operating Voltage	DC12V
Power	5W
Emitting Color	White
Luminosity	400 LM/PCS
Size	550*8mm
CRI	≥85
Net Weight	0.017kg/pcs
Operation Temperature	- 40 ~ 50 °C

## Application



Hotels, restaurants, nights clubs.

Advertising signs, brightening.




Back lighting, edge lighting.


Dancefloor background.



## Outline Dimension (unit:mm)



## Connection



### NOTES

- 1.Please apply different IP rate products according to different environment conditions;
- 2.Only install with Class 2 power unit
- 3.Do not install it when power is on.Before powering on,please make sure the wiring is correct;
- 4.Avoiding damaging the circuit or other component on the strip;
- 5.Avoid dragging,do not over bending during installation;
- 6.In order to get the best lighting effect,please do not connect overlong;
- 7.Please do not stare at the light for along time when it is working to protect your eyes;
- 8.Installation required by a qualified electrician
- 9.Supply cable – R/C (AVLV2/8), external use style, rated minimum 300 V,80 °C, minimum 22 AWG