

3mm Ultra thin 3014 Single Color Flex Led Strip

224LEDs/m DC24V



◆ Product Description:

- 3mm super narrow LED strip, SMD3014 LED chip, 224LEDs/m, high luminance efficiency and high Ra.
- Slim Design: The strip is extremely thin and sleek, making it ideal for applications where space is limited.
- Flexible: It can be easily bent or curved to fit around corners or in tight spaces.
- Standard length 5m per roll. The length also can be customized.

◆ Product Datasheet


Product Number	S003224GC1LZ
Operating Voltage	DC24V
Power/m	5W
SMD Type	SMD 3014
LED Qty/m	224
Cutting Length	31.25mm/7LED
Color	W:3000K/4000K/6500K
Luminance/m	W:508lm
Ra	≥90
Beam Angle	120°
Size (mm)	5000x3mm
IP Rating	IP20
Operation Temperature	- 25 ~ 60°C

Remarks:


- 1.The above parameters were tested according to integrating sphere TM-30-15.
- 2.The output data is based on IP20 and one merter.
- 3.The data such as power etc, ±15% tolerance is normal.
- 4.IP protection process causes changes in size, CCT and luminous flux.

Outline Dimension (unit:mm)

DC24V



Wiring diagram



IP Rating

IP20



◆ Related products:



Power supply
LRS-350-24




Alum profile
LL0809B




RF dimmer
D01


◆ Installation method:




Can be cut




Tear off the 3M adhesive as need




Folding pads



Excessive bending



Bend to LED




Reverse Strip

Distortion(Wrong)


◆ Product packaging



Reel



Antistatic bag



Note: The parameters are subject to change without notice!

A1.25-09-19